RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE,(JIANGSU) PILOT FREE TRADE ZONE ,CHINA.

SAFETY DATA SHEET

Revision Date 26-Feb-2020

Revision Number 2

	1. Identification		
Product Name	Oxalic acid, 0.1N Standardized Solution		
Cat No. :	35622		
Synonyms	No information available		
Recommended Use Uses advised against <u>Details of the supplier of the safety</u>	Laboratory chemicals. Food, drug, pesticide or biocidal product use. data sheet		
<u>Company</u> Epoch Master GLOBAL BUSINESS(JIANGSU)INC. Rm.3-93,Tengfei Building,No.88 Jiangmiao Rd., Research and Innovation Park, Nanjing Zone,(Jiangsu) Pilot Free Trade Zone ,China.			

Tel: +86-025-83365586 Fax: +86-(0)25-83365586 www.epoch-master.com

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910. 1200)

Based on available data, the classification criteria are not met

Label Elements None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Water	7732- 18-5	99.37

RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE, (JIANGSU) PILOT FREE TRADE ZONE , CHINA.

Oxalic acid, 0.1N Standardized Solution

回斯达

Revision Date 26-Feb-2020

Oxalic acid dihydrate	9	6153-56-6	0.63
	4.	First-aid measures	
Eye Contact	Rinse immed medical atter	iately with plenty of water, also under th ntion.	e eyelids, for at least 15 minutes. Get
Skin Contact		nediately with plenty of water for at least if symptoms occur.	t 15 minutes. Get medical attention
Inhalation	Remove to fr	resh air. Get medical attention immediat	ely if symptoms occur.
Ingestion	Clean mouth symptoms or	with water and drink afterwards plenty cour.	of water. Get medical attention if
Most important symptoms and effects	None reason	ably foreseeable.	
Notes to Physician	Treat sympto	omatically	
	5. F	ire-fighting measures	
Suitable Extinguishing Media	Not combusti	ible.	

Unsuitable Extinguishing Media	No information available
Flash Point	No information available
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

Specific Hazards Arising from the Chemical None reasonably foreseeable.

Hazardous Combustion Products None known. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Health 0	Flammability 0	Instability 0	Physical hazards -
	6. Accidental re	lease measures	
Personal Precautions Environmental Precautions	•	n. Use personal protective eque the environment. See Sectior	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Up

7. Handling and storage

RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE,(JIANGSU) PILOT FREE TRADE ZONE ,CHINA.

Oxalic acid, 0.1N Standardized Solution

Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Oxalic acid dihydrate	TWA: 1 mg/m ³ STEL: 2 mg/m ³			

<u>Legend</u>

百舸斯达

ACGIH - American Conference of Governmental Industrial Hygienists

Engineering	Measures	None under normal use conditions.
Linginioorning	mousures	

Personal Protective Equipment

Eye/ face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910. 133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

•••••	and enemiear properties
Physical State	Liquid
Appearance	No information available
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/ Range	No data available
Boiling Point/ Range	No information available
Flash Point	No information available
Evaporation Rate	No information available
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	<=1100 hPa @ 50 °C
Vapor Density	No information available
Specific Gravity	No information available
Solubility	No information available
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	No information available
Molecular Formula	HO2 CCO2H
Molecular Weight	90.04

10. Stability and reactivity

Reactive Hazard

None known, based on information available

RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE,(JIANGSU) PILOT FREE TRADE ZONE ,CHINA.

Oxalic acid, 0.1N Standardized Solution

百舸斯达

Revision Date 26-Feb-2020

Stability		Stable under normal conditions.				
Conditions to Avoid	ł	Incompatible products.				
Incompatible Mater	ials	Strong oxidizing ag	jents			
Hazardous Decomp	osition Products	None under normal	use conditions			
Hazardous Polyme	rization	Hazardous polymer	ization does not	occur.		
Hazardous Reaction	ns	None under normal	processing.			
		11. Toxice	ological inf	ormation		
Acute Toxicity						
Product Information Oral LD50 Dermal LD50 Vapor LC50		Based on ATE data	, the classification	n criteria are not met. n criteria are not met. n criteria are not met	ATE > 2000 mg	0
Component Informa		LD50 Oral		LD50 Dermal	1.050	Inhalation
Water		-		-	2030	-
Oxalic acid dihy	ydrate L	_D50 = 375 mg/kg (Ra	at)	Not listed	No	t listed
Toxicologically Syne	ergistic	No information ava	ilable		I	
Products						
<u></u>	nate enects as w	en as chronic enec	cts from short an	nd long-term expos	ure_	
Irritation Sensitization Carcinogenicity		No information ava	ilable ilable	<u>nd long-term expos</u> ach agency has liste		as a carcinogen.
Irritation Sensitization Carcinogenicity		No information ava No information ava The table below inc	ilable ilable dicates whether ea	ach agency has liste	d any ingredient a	-
Irritation Sensitization	CAS- No 7732- 18-5	No information ava	ilable ilable			as a carcinogen. Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate	CAS- No	No information ava No information ava The table below inc IARC	ilable ilable dicates whether ea NTP	ach agency has liste	d any ingredient a	Mexico
Irritation Sensitization Carcinogenicity Component Water	CAS- No 7732- 18-5	No information ava No information ava The table below inc IARC Not listed	ilable ilable dicates whether ea <u>NTP</u> Not listed Not listed	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate	CAS- No 7732- 18-5 6153-56-6	No information ava No information ava The table below inc IARC Not listed Not listed	ilable ilable dicates whether ea <u>NTP</u> Not listed Not listed ilable	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate Mutagenic Effects	CAS- No 7732- 18-5 6153-56-6 ts	No information ava No information ava The table below inc IARC Not listed Not listed No information ava	ilable ilable dicates whether ea <u>NTP</u> Not listed Not listed ilable	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate Mutagenic Effects Reproductive Effect	CAS- No 7732- 18-5 6153-56-6 ts	No information avainable of the table below into table below into table below into table of t	ilable ilable dicates whether ea <u>NTP</u> Not listed ilable ilable. ilable.	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate Mutagenic Effects Reproductive Effect Developmental Effect	CAS-No 7732-18-5 6153-56-6 ts ects sure	No information avainable No information avainable The table below inconstruction IARC Not listed No information avainable No information avainable No information avainable	ilable ilable dicates whether ea <u>NTP</u> Not listed ilable ilable. ilable.	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate Mutagenic Effects Reproductive Effect Developmental Effect Teratogenicity STOT - single expo	CAS-No 7732-18-5 6153-56-6 ts ects sure	No information avainable No information avainable The table below inconstruction IARC Not listed No information avainable No information avainable No information avainable No information avainable No information avainable No information avainable No information avainable	ilable ilable dicates whether ea <u>NTP</u> Not listed ilable ilable. ilable.	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate Mutagenic Effects Reproductive Effect Developmental Effect Teratogenicity STOT - single expo STOT - repeated ex	CAS- No 7732- 18-5 6153-56-6 ts ects sure posure	No information avaination avainationation avainationation avainationation avainationationationationationationationat	ilable ilable dicates whether ea <u>NTP</u> Not listed ilable ilable. ilable. ilable.	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed
Irritation Sensitization Carcinogenicity Component Water Oxalic acid dihydrate Mutagenic Effects Reproductive Effect Developmental Effect Teratogenicity STOT - single expo STOT - repeated ex Aspiration hazard Symptoms / effects	CAS-No 7732-18-5 6153-56-6 ts ects sure posure s, both acute and	No information avaination avainationation avainationation avainationation avainationationationationationationationat	ilable ilable dicates whether ea <u>NTP</u> Not listed ilable ilable. ilable. ilable. ilable.	ach agency has liste	d any ingredient a OSHA Not listed	Mexico Not listed

12. Ecological information

Ecotoxicity

RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE,(JIANGSU) PILOT FREE TRADE ZONE ,CHINA.

Oxalic acid, 0.1N Standardized Solution

百舸斯达

Revision Date 26-Feb-2020

Do not empty into drains.	
Persistence and Degradability	Miscible with water Persistence is unlikely based on information available.
Bioaccumulation/ Accumulation	No information available.
Mobility	Will likely be mobile in the environment due to its water solubility.
	13. Disposal considerations
Waste Disposal Methods	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and

14. Transport information				
DOT TDG IATA	Not regulated Not regulated Not regulated			
IMDG/IMO	Not regulated			

national hazardous waste regulations to ensure complete and accurate classification.

RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE,(JIANGSU) PILOT FREE TRADE ZONE ,CHINA.

15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/ Inactive	TSCA - EPA Regulatory Flags	
Water	7732- 18-5	Х	ACTIVE		
Oxalic acid dihydrate	6153-56-6	-	_	_	

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

可斯达

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Water	7732- 18-5	Х	-	231-791-2	Х	Х	Х	Х	KE-35400
Oxalic acid dihydrate	6153-56-6	-	-	-	Х	Х	Х	Х	-

U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
OSHA - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable
California Proposition 65	This product does not contain any Proposition 65 chemicals.

Page 5/6



RM.3-93, TENGFEI BUILDING, NO.88 JIANGMIAO RD., RESEARCH AND INNOVATION PARK,

NANJING ZONE, (JIANGSU) PILOT FREE TRADE ZONE, CHINA.

Oxalic acid, 0.1N Standardized Solution Revision Date 26-Feb-2020

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Water	-	-	X	_	-	
Oxalic acid dihydrate	-	-	X	-	X	
J.S. Department of Tran	sportation					
Reportable Quantity (RQ):	N					
DOT Marine Pollutant	Ν					
DOT Severe Marine Pollut	ant N					
J.S. Department of Homo Security	eland This pro	duct does not contai	n any DHS chemicals.			
Other International Regu	lations_					
Mexico - Grade	No info	mation available				
		16. Other in				
Prepared By	Rm.3-93 Nanjing	Epoch Master GLOBAL BUSINESS(JIANGSU)INC. Rm.3-93,Tengfei Building,No.88 Jiangmiao Rd., Research and Innovation Park, Nanjing Zone,(Jiangsu) Pilot Free Trade Zone ,China. www.epoch-master.com				
Revision Date Print Date Revision Summary	26-Feb-	26-Feb-2020 26-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 2,501.				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS